

The Impact of COVID-19 on Access to Sexual and Reproductive Health and Services in India



Methodology


Untold Research conducted this non-probabilistic online survey between July 3 and August 8, 2020, among 2,776 women ages 18-49 across India. Due to the limitations of the sample, respondents all have, at minimum, completed higher secondary school, belong to households earning at least 30,001 rupees (~\$400 USD) per month, and likely live in urban areas. Therefore, when terms like “in India,” “throughout the country,” or “among women” are used, know this means within the universe of this survey and does not reflect a true representation of all women throughout the country.

The research was made possible through a generous donation from:

market|xcel


un.told
- RESEARCH -

Experienced During COVID-19




N=2,322

COVID-19's Financial Impact




N=2,776

Needed But Could Not Access During COVID-19




N=2,227

Needed But Could Not Access During COVID-19




N=1,042

Needed But Could Not Access During COVID-19



N=359


Needed But Could Not Access During COVID-19



I did not try to access this service because I do not want to contract COVID-19 (37%)


N=332

Needed But Could Not Access During COVID-19



N=328

Needed But Could Not Access During COVID-19



I was told to get a COVID-19 test before seeking non-COVID-19 related health care (34%)


N=153

Of the women who did not have access to contraception, more than two in five (44%) engaged in sex without any type of contraception.

Of the women who did not have access to contraception, more than two in five (44%) engaged in sex without any type of contraception.

Unplanned Pregnancy Status


- Among women who needed but did not have access to contraception -



N=586







Dealing with an Unwanted Pregnancy During COVID-19










- Among women who needed but did not have access to pregnancy termination services -












- Found other means to terminate the pregnancy
- Continue to try to terminate the pregnancy
- Carry pregnancy to term
- Still deciding

N=153









Kate Vasiloff

kate@untoldresearch.com

Monica Sanchez

monica@untoldresearch.com